



IEB Tipper Trailer Induction

GENERAL INFORMATION – PLEASE READ

Towing will affect your vehicle. Please take note of the following:

- You will have decreased acceleration and braking performance;
- reduced vehicle control and manoeuvrability; and
- Allow for the trailer's tendency to 'cut-in' on corners and curves.
- Allow longer distances for braking, overtaking and joining a traffic stream.
- When reversing, it is advisable to have someone outside the vehicle giving directions.
- Avoid sudden lane changes or changes of direction.
- Look further ahead than normal so you can react to changes in traffic or road conditions.
- Use the accelerator, brakes and steering smoothly and gently at all times.
- Use a lower gear when travelling downhill to increase vehicle control and reduce strain on brakes.
- Slow down well before entering corners and curves.
- Accelerator, brake and steering must be operated smoothly when towing

This is a specialised trailer because of the hydraulic lift that allows the trailer to tip. As an ieb member this trailer can be used for all your garden needs, such as disposal of green waste, picking up soil, manure, landscaping supplies etc.

SAFETY NOTES

NEVER disconnect the trailer from the car to tip

ALWAYS check your height clearance before tipping the tray.

ALWAYS ensure the area is clear of bystanders when raising or lowering.

ALWAYS lower the tub before moving vehicle.

ENSURE tub is down when finished to relieve pressure on the hydraulic lines

ENSURE the rear cage gate is secured prior to lift to prevent it from being crushed.

NEVER drive with the tray up.

DO NOT over extend the lift as it may damage the hydraulics.

DO NOT use gates as **ramps**.

NEVER exceed maximum towing weight of trailer load weight

CAUTION: Watch out for pinch hazards.

HOW TO USE THE TIPPER TRAILER

<p>Read instructions and undertake induction and checklist. Arrange pick up on IEB committee member.</p>	
<p>Secure back swinging gate to allow easy access for loading material.</p>	
<p>Load Material. Once finished ensure swing gate is locked back into place. Ensure load is secure.</p>	
<p>When at your destination , remove tail gate and rear gage (or secure on side) to avoid crushing it when tipping</p>	
<p>Place the tail gate in a safe location</p>	
<p>Open Silver box</p>	

Select "on" switch



Depress and twist red knob to down position – allowing the fluid to move.



Use remote to engage tipper. Ensure safe location. Look above, around and afar for hazards or people in way of tipper.





Keep moving tipper up to desired height. Material should fall out at some point. You may need to use a shovel or rake to remove damp soil



A job well done – no sweat! Bring tipper trailer back down to horizontal position.



<p>Twist and allow red knob to come up</p>	
<p>Select off switch.</p>	

BEFORE TAKING THE TIPPER TRAILER PLEASE CHECK THE LIST BELOW

	Out	In	Comment
Inspect hitch/coupling bolts or welds			
Inspect and/or clean electrical connector - Check trailer lights and reflectors			
Check Jockey Wheel is working.			
Inspect safety chains and attach			
Check trailer brakes (if fitted)			
Check tire pressures, inspect for wear			
Check wheel nuts for tightness & correct torque			
Check Tipper trailer works			
CHECK trailer coupling, chains, jockey wheel is up) and ensure trailer is 'locked' in before driving			

